

SECTION I

PRODUCT NAME OR NUMBER (as it appears on label) Ever-Wear All Purpose Cleaner (ED 90)	DATE 10/15/2008
MANUFACTURER'S NAME QMI	EMERGENCY TELEPHONE #: QMI: (800) 255-8138 CHEM-TEL: (800) 255-3924
ADDRESS (Number, Street, City, State and Zip Code) 3606 Craftsman Blvd., Lakeland, FL 33803 USA	
HAZARDOUS MATERIAL DESCRIPTION, PROPER SHIPPING NAME, HAZARD CLASS, HAZARD ID NO. None 29 CFR 1910.1200	
ADDITIONAL HAZARD CLASSES (as applicable); None	
CHEMICAL FAMILY; Alkaline Cleaner	FORMULA; Proprietary
HMIS; Health - 2 Flammability - 0 Reactivity - 0 Specific Hazard - Alkaline	

SECTION II
(list ingredients)

CAS REGISTRY NO.	%W	%V	CHEMICAL NAME(S)	LISTED AS A CARCINOGEN
111762			Ethyl Glycol Butyl Ether "EB"	N/A
9036-19-5			Non-Ionic Surfactant	N/A
6834-92-0			Sodium Metasilicate	N/A
Proprietary			Phosphate Ester Potassium Salt	N/A

SECTION III - PHYSICAL DATA

BOILING POINT 212°F 100°C	SPECIFIC GRAVITY 1.00	
VAPOR DENSITY (AIR=1) 1.00	EVAPORATION RATE N/A	PERCENT SOLID BY WEIGHT (%) N/A
SOLUBILITY IN WATER 98.6	pH 12.9	
APPEARANCE AND ODOR Clear Liquid	IS MATERIAL:	<u>LIQUID</u> SOLID GAS PASTE POWDER

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT None	METHOD USED	FLAMMABLE LIMITS	LEL N/A	UEL N/A
EXTINGUISHING MEDIA N/A				
SPECIAL FIRE FIGHTING PROCEDURES; N/A				
UNUSUAL FIRE AND EXPLOSION HAZARDS N/A				

SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE - Conditions to Avoid Slight eye and skin irritation can result from prolonged use.	THRESHOLD LIMIT VALUE PERMISSIBLE EXPOSURE LIMIT Not Established
PRIMARY ROUTES OF ENTRY X INHALATION X SKIN CONTACT X EYE CONTACT <input type="checkbox"/> OTHER (Specify) _____	
EMERGENCY AND FIRST AID PROCEDURES Wash thoroughly with clean water, flush eye for 15 minutes. If swallowed drink water, induce vomiting, call physician.	

SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE		
	STABLE	X	
INCOMPATIBILITY (materials to avoid) Avoid contact with strong oxidizing agents			
HAZARDOUS DECOMPOSITION PRODUCTS: None			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	Strong acids, oxidizers

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Evacuate spill area - Floor will be very slippery - Contain liquids with inert materials (sand/earth)
WASTE DISPOSAL METHOD Dispose in accordance with local laws.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION	
VENTILATION	Provide sufficient mechanical ventilation.
PROTECTIVE GLOVES (Specify type) Neoprene Buthyl Rubber	EYE PROTECTION (specify type) Chemical Splash Goggles
OTHER PROTECTIVE EQUIPMENT When misting occurs MSHA/NIOSH Approved Half-Mask	

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Low Temperatures can cause viscosity of material to increase.
--

ADDITIONAL HEALTH DATA COMMENT

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.