

SECTION I

PRODUCT NAME OR NUMBER (as it appears on label) <b>QMI Power Steering Fluid (5181)</b>		DATE 10/15/2008
MANUFACTURER'S NAME <b>QMI</b>		EMERGENCY TELEPHONE #: QMI: (800) 255-8138 CHEM-TEL: (800) 255-3924
ADDRESS (Number, Street, City, State and Zip Code) 3606 Craftsman Blvd., Lakeland, FL 33803		
HAZARDOUS MATERIAL DESCRIPTION, PROPER SHIPPING NAME, HAZARD CLASS, HAZARD ID NO. None		
ADDITIONAL HAZARD CLASSES (as applicable)		
CHEMICAL FAMILY Petroleum		FORMULA Proprietary

SECTION II  
(list ingredients)

CAS REGISTRY NO.	%W	%V	CHEMICAL NAME(S)	LISTED AS A CARCINOGEN
64742-58-1	> 95		Petroleum lubricated oils	
64742-58-1	< 5		Petroleum additives	

SECTION III - PHYSICAL DATA

BOILING POINT	SPECIFIC GRAVITY		
VAPOR DENSITY (AIR=1)	EVAPORATION RATE	PERCENT SOLID BY WEIGHT (%)	
SOLUBILITY IN WATER			
APPEARANCE AND ODOR Amber liquid,	IS MATERIAL: <u>LIQUID</u> SOLID GAS PASTE POWDER		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT 150°C (302°F)	METHOD USED	FLAMMABLE LIMITS	LEL	UEL
EXTINGUISHING MEDIA Carbon dioxide, regular foam, dry chemical, or water spray. Spattering and foaming may occur from spraying water or foam on high-flash-point liquids.				
SPECIAL FIRE FIGHTING PROCEDURES Keep storage containers cool with water spray. Positive-pressure, self-contained breathing apparatus (SCBA) and structural firefighters.				
UNUSUAL FIRE AND EXPLOSION HAZARDS Decomposition and combustion products may be toxic. "Empty" containers may retain residue and can be dangerous.				

### SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE - Conditions to Avoid
THRESHOLD LIMIT VALUE PERMISSIBLE EXPOSURE LIMIT
OTHER LIMITS
PRIMARY ROUTES OF ENTRY <input type="checkbox"/> INHALATION <input type="checkbox"/> SKIN CONTACT <input type="checkbox"/> EYE CONTACT <input type="checkbox"/> INGESTION
EMERGENCY AND FIRST AID PROCEDURES EYES: Flush with large amounts of water. See physician if any complications arise. SKIN: Wash with soap and water. Do not wear heavily contaminated clothing before laundering. INGESTION: Do NOT induce vomiting. Immediately seek medical attention. INHALATION: Remove to fresh air. If not breathing, give artificial respiration. Seek medical aid.

### SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE		
INCOMPATIBILITY (materials to avoid)			
HAZARDOUS DECOMPOSITION PRODUCTS:			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR		

### SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all ignition sources. Stop leak if you can do it without risk. Ventilate area and avoid breathing vapor or mist.
WASTE DISPOSAL METHOD

### SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION			
VENTILATION		SPECIAL:	
		OTHER:	
PROTECTIVE GLOVES (Specify type)	EYE PROTECTION (Specify type)		
OTHER PROTECTIVE EQUIPMENT			

### SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
---

#### ADDITIONAL HEALTH DATA COMMENT

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.