



# MATERIAL SAFETY DATA SHEET

## SECTION I – Identification of the Product and Company

PRODUCT NAME OR NUMBER (as it appears on label) <b>QMI Fuel Treatment</b>	REVISE DATE: 08/06/2009
MANUFACTURER'S NAME <b>QMI</b>	EMERGENCY TELEPHONE #: QMI (863) 665-3338 CHEM-TEL: (800) 255-3924
ADDRESS (Number, Street, City, State and Zip Code) 3606 Craftsman Blvd., Lakeland, FL 33803	
HAZARDOUS MATERIAL DESCRIPTION, PROPER SHIPPING NAME, HAZARD CLASS, HAZARD ID NO. OSHA 29 CFR 1910-1200	
ADDITIONAL HAZARD CLASSES (as applicable) Combustible liquid	
CHEMICAL FAMILY Petroleum	FORMULA Proprietary

## SECTION II – Composition/Information on Ingredients

CAS REGISTRY NO.	%W	CHEMICAL NAME(S)	R PHRASES
64742-47-8	> 50	Aliphatic hydrocarbon	R 7/21/22/23/36/37/38/51
Proprietary	> 35	Aromatic solvents	R 7/21/22/23/36/37/38/51
Proprietary	> 10	Non-toxic surfactants	R 22/36/37/38

## SECTION III – Hazards Identification

Not Classified
----------------

## SECTION IV – First Aid Measures

INGESTION: Rinse mouth with water. Call physician.
SKIN CONTACT: Wash thoroughly with soap and water.
EYE CONTACT: Wash with copious quantities of water.
INHALATION: Clear air passage, get person to fresh air.

## SECTION V – Fire-Fighting Measures

EXTINGUISHING MEDIA: Use foam or carbon dioxide dry chemical

SPECIAL FIRE FIGHTING PROCEDURES: Use supplied-air breathing equipment for enclosed or confined spaces

## SECTION VI – Accidental Release Measures

IN CASE OF SPILLAGE: Scoop up excess, wipe up with rags or other absorbent materials, pick up residue with diatomaceous earth. Dispose of in accordance with local laws.

## SECTION VII – Handling and Storage

Store in cool, dry place- normal precautions away from heat sources.

## SECTION VIII – Exposure Controls/Personal Protection

RESPIRATORY PROTECTION: Adequate

VENTILATION: Mechanical ventilation, if necessary

PROTECTIVE GLOVES: Nitrile rubber

EYE PROTECTION: Safety goggles

OTHER PRECAUTIONS: Wash hands after use

## SECTION IX – Physical and Chemical Properties

APPEARANCE AND ODOR: Clear liquid – Solvent odor

pH: Neutral

FLASH POINT: 118°F / 47.7°C

SOLUBILITY: Will emulsify its own weight in water

## SECTION X – Stability and Reactivity

STABILITY: Stable

CONDITIONS TO AVOID: Extreme heat

## SECTION XI – Toxicological Information

ROUTES OF ENTRY/SYMPTOMS OF CONTACT:

INHALATION: Very low risk.

SKIN AND EYES: Very low risk- minor irritation and redness may occur.

INGESTION: May be hazardous if ingested in large quantities.

## SECTION XII – Ecological Information

Very low risk to domestic animals- may be harmful to fish and waterfowl if introduced into waterways.

## SECTION XIII – Disposal Considerations

Dispose of excess or unused material and containers in accordance with local laws.

## SECTION XIV – Transport Information

Classified as hazardous for transport. (Combustible liquid)

## SECTION XV – Regulatory Information

### EUROPEAN LABELING;

#### SAFETY PHRASES:

- S 2 – KEEP OUT OF THE REACH OF CHILDREN.
- S 3 – KEEP IN A COOL PLACE.
- S 16 – KEEP AWAY FROM SOURCES OF IGNITION -- NO SMOKING.
- S 25 – AVOID CONTACT WITH EYES.

#### RISK PHRASES

- R 7 – MAY CAUSE FIRE
- R 21/22 – HARMFUL IN CONTACT WITH SKIN AND IF SWALLOWED.
- R 23 – TOXIC BY INHALATION.
- R 36/37/38 – IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
- R 51 – TOXIC TO AQUATIC ORGANISMS.

#### SYMBOLS

N, T, Xi

All ingredients are listed in EPA-TSCA inventory. The information contained in this data sheet does not constitute the user's own assessment of workplace risk as required by legislation.

## SECTION XVI – Other Information

### ADDITIONAL HEALTH DATA COMMENT

The above information is based the data of which we are aware and is believed to be correct as of the data hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.