



MATERIAL SAFETY DATA SHEET

SECTION I – Identification of the Product and Company

PRODUCT NAME OR NUMBER (as it appears on label) QMI Automatic Transmission Treatment	DATE 10/14/2008
MANUFACTURER'S NAME QMI	EMERGENCY TELEPHONE #: QMI (863) 665-3338 CHEM-TEL: (800) 255-3924
ADDRESS (Number, Street, City, State and Zip Code) 3606 Craftsman Blvd., Lakeland, FL 33803	
HAZARDOUS MATERIAL DESCRIPTION, PROPER SHIPPING NAME, HAZARD CLASS, HAZARD ID NO. None OSHA 29 CFR 1910-1200	
ADDITIONAL HAZARD CLASSES (as applicable) None	
CHEMICAL FAMILY Petroleum (grease)	FORMULA Proprietary

SECTION II – Composition/Information on Ingredients

CAS REGISTRY NO.	%W	%V	CHEMICAL NAME(S)	LISTED AS A CARCINOGEN
64741-88-4	95		Paraffinic base oil	No
64741-89-5				
64741-96-4				
64741-97-5				
64741-201-4				
64741-252-5				
64742-47-8	2		Aliphatic and aromatic solvents	No
9002-84-0	1		P.T.F.E.	No
Proprietary	2		Non-toxic surfactant	No

SECTION III – Hazards Identification

Not Classified

SECTION IV – First Aid Measures

INGESTION: Rinse mouth with water. Call physician.
SKIN CONTACT: Wash thoroughly with soap and water.
EYE CONTACT: Wash with copious quantities of water.
INHALATION: Clear air passage, get person to fresh air.

SECTION V – Fire-Fighting Measures

EXTINGUISHING MEDIA: Use carbon dioxide foam or water fog

SPECIAL FIRE FIGHTING PROCEDURES: Water may cause frothing

SECTION VI – Accidental Release Measures

IN CASE OF SPILLAGE: Scoop up excess, wipe up with rags or other absorbent materials, pick up residue with diatomaceous earth. Dispose of in accordance with local laws.

SECTION VII – Handling and Storage

Store in cool, dry place- normal precautions as with any petroleum product.

SECTION VIII – Exposure Controls/Personal Protection

RESPIRATORY PROTECTION: None required

VENTILATION: Local exhaust

PROTECTIVE GLOVES: None required

EYE PROTECTION: Goggles

OTHER PRECAUTIONS: Wash hands after use

SECTION IX – Physical and Chemical Properties

APPEARANCE AND ODOR: Amber liquid – Petroleum odor

pH: Neutral

FLASH POINT: (Open Cup) 360°F 174°C

SOLUBILITY: Insoluble

INCOMPATIBLE MATERIALS: Strong oxidizing materials

SECTION X – Stability and Reactivity

STABILITY: Stable

CONDITIONS TO AVOID: Strong oxidizing materials.

SECTION XI – Toxicological Information

ROUTES OF ENTRY/SYMPTOMS OF CONTACT:

INHALATION: Very low risk.

SKIN AND EYES: Very low risk- minor irritation and redness may occur.

INGESTION: May be hazardous if ingested in large quantities.

SECTION XII – Ecological Information

Very low risk to domestic animals- may be harmful to fish and waterfowl if introduced into waterways.

SECTION XIII – Disposal Considerations

Dispose of excess or unused material and containers in accordance with local laws.

SECTION XIV – Transport Information

Not classified as hazardous for transport.

SECTION XV – Regulatory Information

All ingredients are listed in EPA-TSCA inventory. The information contained in this data sheet does not constitute the user's own assessment of workplace risk as required by legislation.

SECTION XVI – Other Information

ADDITIONAL HEALTH DATA COMMENT

This product contains petroleum base oils which may be refined by various processes including severe solvent extraction, severe hydrocracking, or severe hydrotreating. None of the oils require a cancer warning under the OSHA Hazard Communication Standard (29 CFR 1910.1200). These oils have not been listed in the National Toxicology Program (NTP) Annual Report nor have they been classified by the International Agency for Research on Cancer (IARC) as; carcinogenic to humans (Group 1), probably carcinogenic to humans (Group 2A), or possibly carcinogenic to humans (Group 2B). The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.